

Version: Jun2013
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 52
Report Date: 06/05/2013

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059903706	06/30/03	729	50(1)	40(701)	53.9	alpha/beta Thujone mixture
Female							
Southern Research Institute	059903706	06/30/03	731	50(5)	37(668)	64.7	alpha/beta Thujone mixture

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 53
 Report Date: 06/05/2013

		Male			Female		
#All Organs:							
Benign Tumors							
		32/50 (64%)			22/50 (44%)		
Overall Incidence	Total	32/50 (64%)	Mean 64%	SD 0%	Total	22/50 (44%)	Mean 44% SD 0%
.....							
#All Organs:							
Malignant Tumors							
		30/50 (60%)			19/50 (38%)		
Overall Incidence	Total	30/50 (60%)	Mean 60%	SD 0%	Total	19/50 (38%)	Mean 38% SD 0%
.....							
#All Organs:							
Malignant and Benign Tumors							
		45/50 (90%)			35/50 (70%)		
Overall Incidence	Total	45/50 (90%)	Mean 90%	SD 0%	Total	35/50 (70%)	Mean 70% SD 0%
.....							
#All Organs:							
Hemangioma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#All Organs:							
Hemangiosarcoma							
		4/50 (8%)			1/50 (2%)		
Overall Incidence	Total	4/50 (8%)	Mean 8%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#All Organs:							
Hemangiosarcoma or Hemangioma							
		4/50 (8%)			1/50 (2%)		
Overall Incidence	Total	4/50 (8%)	Mean 8%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 54
 Report Date: 06/05/2013

	Male				Female			
#All Organs:								
Histiocytic Sarcoma								
		1/50 (2%)			2/50 (4%)			
Overall Incidence	Total	1/50 (2%)	Mean 2%	SD 0%	Total	2/50 (4%)	Mean 4%	SD 0%
.....								
#All Organs:								
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type								
		4/50 (8%)			6/50 (12%)			
Overall Incidence	Total	4/50 (8%)	Mean 8%	SD 0%	Total	6/50 (12%)	Mean 12%	SD 0%
.....								
#All Organs:								
Mesothelioma: Benign								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Mesothelioma: Benign, Malignant, NOS								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Mesothelioma: Malignant								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Osteoma								
		1/50 (2%)			0/50 (0%)			
Overall Incidence	Total	1/50 (2%)	Mean 2%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 55
 Report Date: 06/05/2013

		Male			Female		
#All Organs:							
Osteosarcoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#All Organs:							
Osteosarcoma or Osteoma							
		1/50	(2%)		0/50	(0%)	
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	Total	0/50 (0%)
.....							
*Adrenal Cortex:							
Adenoma							
		2/50	(4%)		1/50	(2%)	
Overall Incidence	Total	2/50	(4%)	Mean 4%	SD 0%	Total	1/50 (2%)
.....							
*Adrenal Cortex:							
Plasma Cell Tumor Malignant							
		0/50	(0%)		1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50 (2%)
.....							
*Adrenal Medulla:							
Pheochromocytoma Benign							
		0/49	(0%)		0/50	(0%)	
Overall Incidence	Total	0/49	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
*Adrenal Medulla:							
Pheochromocytoma Malignant							
		1/49	(2%)		0/50	(0%)	
Overall Incidence	Total	1/49	(2.04%)	Mean 2.04%	SD 0%	Total	0/50 (0%)
.....							

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 56
 Report Date: 06/05/2013

	Male				Female			
*Adrenal Medulla:								
Pheochromocytoma: Benign, Complex, Malignant, NOS								
		1/49 (2%)			0/50 (0%)			
Overall Incidence	Total	1/49 (2.04%)	Mean 2.04%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
#Blood Vessel:								
Hemangioma								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Bone Marrow:								
Hemangioma								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Bone Marrow:								
Hemangiosarcoma								
		0/50 (0%)			1/50 (2%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2%	SD 0%
.....								
*Bone Marrow:								
Mast Cell Tumor Malignant								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Bone Marrow:								
Plasma Cell Tumor Malignant								
		0/50 (0%)			1/50 (2%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 57
 Report Date: 06/05/2013

		Male				Female			
*Bone Marrow:									
Sarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/50	(0%)	Mean 0%	SD 0%
.....									
#Bone:									
Fibroma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/50	(0%)	Mean 0%	SD 0%
.....									
#Bone:									
Hemangiosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/50	(0%)	Mean 0%	SD 0%
.....									
#Bone:									
Osteoma									
		1/50	(2%)			0/50	(0%)		
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	0/50	(0%)	Mean 0%	SD 0%
.....									
#Bone:									
Osteosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/50	(0%)	Mean 0%	SD 0%
.....									
#Bone:									
Osteosarcoma or Osteoma									
		1/50	(2%)			0/50	(0%)		
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	0/50	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 58
 Report Date: 06/05/2013

		Male				Female			
#Bone:									
Sarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Brain:									
Meningioma Benign									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Brain:									
Meningioma Malignant									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 59
 Report Date: 06/05/2013

	Male				Female			
*Brain:								
Oligodendroglioma, Glioma, or Astrocytoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
*Brain:								
Schwannoma Malignant								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
							Mean 2%	SD 0%
.....								
*Clitoral/Preputial Gland:								
Hemangioma								
		0/49	(0%)			0/48	(0%)	
Overall Incidence	Total	0/49	(0%)	Mean 0%	SD 0%	Total	0/48	(0%)
							Mean 0%	SD 0%
.....								
*Clitoral/Preputial Gland:								
Hemangiosarcoma								
		0/49	(0%)			0/48	(0%)	
Overall Incidence	Total	0/49	(0%)	Mean 0%	SD 0%	Total	0/48	(0%)
							Mean 0%	SD 0%
.....								
#Coagulating Gland:								
Granular Cell Tumor								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Coagulating Gland:								
Sarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 60
 Report Date: 06/05/2013

		Male			Female		
#Esophagus:							
Squamous Cell Carcinoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Eye:							
Melanoma Malignant							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Harderian Gland:							
Adenoma							
		8/50 (16%)			5/50 (10%)		
Overall Incidence	Total	8/50 (16%)	Mean 16%	SD 0%	Total	5/50 (10%)	Mean 10% SD 0%
.....							
#Harderian Gland:							
Carcinoma							
		2/50 (4%)			1/50 (2%)		
Overall Incidence	Total	2/50 (4%)	Mean 4%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#Harderian Gland:							
Carcinoma or Adenoma							
		10/50 (20%)			6/50 (12%)		
Overall Incidence	Total	10/50 (20%)	Mean 20%	SD 0%	Total	6/50 (12%)	Mean 12% SD 0%
.....							
*Heart:							
Hemangiosarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 61
 Report Date: 06/05/2013

		Male				Female			
#Intestine Large: Cecum: Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum: Carcinoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum: Carcinoma or Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum: Leiomyoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum: Leiomyosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Colon/Rectum: Leiomyosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 62
 Report Date: 06/05/2013

		Male				Female			
#Intestine Small: Duodenum:									
Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Carcinoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Leiomyosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Polyp Adenomatous									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Ileum:									
Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Ileum:									
Carcinoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 63
 Report Date: 06/05/2013

		Male			Female		
#Intestine Small: Ileum:							
Polyp Adenomatous							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Intestine Small: Jejunum:							
Adenoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Intestine Small: Jejunum:							
Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Intestine Small: Jejunum:							
Hemangiosarcoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Intestine Small: Jejunum:							
Leiomyosarcoma							
		1/50	(2%)		0/50	(0%)	
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Intestine Small: Site Unspecified:							
Adenoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 64
 Report Date: 06/05/2013

		Male			Female		
#Intestine Small: Site Unspecified: Carcinoma							
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Intestine Small: Site Unspecified: Carcinoma or Adenoma							
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Intestine Small: Site Unspecified: Hemangiosarcoma							
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Intestine Small: Site Unspecified: Leiomyosarcoma							
Overall Incidence	Total	1/50 (2%)	Mean 2%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Intestine Small: Site Unspecified: Polyp Adenomatous							
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
*Islets, Pancreatic: Adenoma							
Overall Incidence	Total	4/50 (8%)	Mean 8%	SD 0%	Total	1/48 (2.08%)	Mean 2.08% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 65
 Report Date: 06/05/2013

		Male			Female		
*Islets, Pancreatic:							
Carcinoma							
		0/50	(0%)		0/48	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/48 (0%)
							Mean 0%
							SD 0%
.....							
*Islets, Pancreatic:							
Carcinoma or Adenoma							
		4/50	(8%)		1/48	(2%)	
Overall Incidence	Total	4/50	(8%)	Mean 8%	SD 0%	Total	1/48 (2.08%)
							Mean 2.08%
							SD 0%
.....							
*Kidney: Pelvis and Transitional Epithelium:							
Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Kidney: Pelvis and Transitional Epithelium:							
Carcinoma or Adenoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Kidney: Renal Tubule:							
Adenoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Kidney: Renal Tubule:							
Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 66
 Report Date: 06/05/2013

		Male				Female			
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Kidney: Renal Tubule: Hemangioma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Kidney: Renal Tubule: Plasma Cell Tumor Malignant									
		0/50	(0%)			1/50	(2%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)	Mean 2% SD 0%
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
*Liver: Hemangioma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 67
 Report Date: 06/05/2013

	Male				Female			
*Liver:								
Hemangiosarcoma								
		2/50	(4%)			1/50	(2%)	
Overall Incidence	Total	2/50	(4%)	Mean 4%	SD 0%	Total	1/50	(2%)
							Mean 2%	SD 0%
.....								
*Liver:								
Hepatoblastoma								
		3/50	(6%)			0/50	(0%)	
Overall Incidence	Total	3/50	(6%)	Mean 6%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
*Liver:								
Hepatocellular Adenoma								
		24/50	(48%)			13/50	(26%)	
Overall Incidence	Total	24/50	(48%)	Mean 48%	SD 0%	Total	13/50	(26%)
							Mean 26%	SD 0%
.....								
*Liver:								
Hepatocellular Carcinoma								
		16/50	(32%)			3/50	(6%)	
Overall Incidence	Total	16/50	(32%)	Mean 32%	SD 0%	Total	3/50	(6%)
							Mean 6%	SD 0%
.....								
*Liver:								
Hepatocellular Carcinoma or Hepatoblastoma								
		18/50	(36%)			3/50	(6%)	
Overall Incidence	Total	18/50	(36%)	Mean 36%	SD 0%	Total	3/50	(6%)
							Mean 6%	SD 0%
.....								
*Liver:								
Hepatocellular Carcinoma or Hepatocellular Adenoma								
		33/50	(66%)			15/50	(30%)	
Overall Incidence	Total	33/50	(66%)	Mean 66%	SD 0%	Total	15/50	(30%)
							Mean 30%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 68
 Report Date: 06/05/2013

	Male				Female			
*Liver:								
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma								
		33/50 (66%)			15/50 (30%)			
Overall Incidence	Total	33/50 (66%)	Mean 66%	SD 0%	Total	15/50 (30%)	Mean 30%	SD 0%
.....								
*Liver:								
Hepatocholangiocarcinoma								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Hepatocholangioma								
		1/50 (2%)			0/50 (0%)			
Overall Incidence	Total	1/50 (2%)	Mean 2%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Ito Cell Tumor Benign								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Mast Cell Tumor Malignant								
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Plasma Cell Tumor Malignant								
		0/50 (0%)			1/50 (2%)			
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 69
 Report Date: 06/05/2013

		Male			Female		
*Liver:							
Sarcoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Lung:							
Alveolar/Bronchiolar Adenoma							
		7/50	(14%)		3/50	(6%)	
Overall Incidence	Total	7/50	(14%)	Mean 14%	SD 0%	Total	3/50 (6%)
							Mean 6%
							SD 0%
.....							
*Lung:							
Alveolar/Bronchiolar Carcinoma							
		6/50	(12%)		1/50	(2%)	
Overall Incidence	Total	6/50	(12%)	Mean 12%	SD 0%	Total	1/50 (2%)
							Mean 2%
							SD 0%
.....							
*Lung:							
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma							
		13/50	(26%)		4/50	(8%)	
Overall Incidence	Total	13/50	(26%)	Mean 26%	SD 0%	Total	4/50 (8%)
							Mean 8%
							SD 0%
.....							
*Lung:							
Hemangiosarcoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Lung:							
Plasma Cell Tumor Malignant							
		0/50	(0%)		1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50 (2%)
							Mean 2%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 70
 Report Date: 06/05/2013

		Male			Female		
#Lymph Node:							
Plasma Cell Tumor Malignant							
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#Lymph Node, Bronchial:							
Hemangiosarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Lymph Node, Mandibular:							
Hemangiosarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Lymph Node, Mandibular:							
Mast Cell Tumor Malignant							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Lymph Node, Mandibular:							
Plasma Cell Tumor Malignant							
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#Lymph Node, Mediastinal:							
Mast Cell Tumor Malignant							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 71
 Report Date: 06/05/2013

	Male				Female			
#Lymph Node, Mesenteric: Hemangiosarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								
#Lymph Node, Mesenteric: Plasma Cell Tumor Malignant								
		1/50	(2%)			1/50	(2%)	
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	Total	1/50	(2%)
.....								
#Mammary Gland: Adenoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								
#Mammary Gland: Carcinoma								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
.....								
#Mammary Gland: Carcinoma or Adenoma								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
.....								
#Mammary Gland: Fibroadenoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 72
 Report Date: 06/05/2013

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		0/50	(0%)			1/50	(2%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)	Mean 2% SD 0%
.....									
#Mesentery:									
Hemangioma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Mesentery:									
Lipoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Mesentery:									
Sarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 73
 Report Date: 06/05/2013

		Male			Female		
*Nose:							
Adenoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
*Nose:							
Hemangiosarcoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):							
Papilloma Squamous or Papilloma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):							
Squamous Cell Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):							
Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Oral Mucosa:							
Squamous Cell Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 74
 Report Date: 06/05/2013

	Male	Female
*Ovary:		
Choriocarcinoma		
Overall Incidence	Total	1/48 (2%) Mean 2.08% SD 0%
.....		
*Ovary:		
Cystadenocarcinoma		
Overall Incidence	Total	0/48 (0%) Mean 0% SD 0%
.....		
*Ovary:		
Cystadenoma		
Overall Incidence	Total	2/48 (4%) Mean 4.17% SD 0%
.....		
*Ovary:		
Granulosa Cell Tumor Benign		
Overall Incidence	Total	0/48 (0%) Mean 0% SD 0%
.....		
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS		
Overall Incidence	Total	0/48 (0%) Mean 0% SD 0%
.....		
*Ovary:		
Hemangioma		
Overall Incidence	Total	0/48 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 75
 Report Date: 06/05/2013

	Male		Female	
*Ovary:				
Hemangiosarcoma				
			0/48 (0%)	
Overall Incidence		Total	0/48 (0%)	Mean 0% SD 0%
.....				
*Ovary:				
Luteoma				
			0/48 (0%)	
Overall Incidence		Total	0/48 (0%)	Mean 0% SD 0%
.....				
*Ovary:				
Plasma Cell Tumor Malignant				
			1/48 (2%)	
Overall Incidence		Total	1/48 (2.08%)	Mean 2.08% SD 0%
.....				
*Ovary:				
Sarcoma				
			0/48 (0%)	
Overall Incidence		Total	0/48 (0%)	Mean 0% SD 0%
.....				
*Ovary:				
Teratoma Benign				
			0/48 (0%)	
Overall Incidence		Total	0/48 (0%)	Mean 0% SD 0%
.....				
*Ovary:				
Teratoma Malignant				
			0/48 (0%)	
Overall Incidence		Total	0/48 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 76
 Report Date: 06/05/2013

Male					Female					
*Ovary:										
Tubulostromal Adenoma										
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
.....										
*Ovary:										
Yolk Sac Carcinoma										
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
.....										
*Pancreas:										
Carcinoma										
					0/50 (0%)					
Overall Incidence					Total	0/50 (0%)	Mean	0%	SD	0%
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
.....										
*Pancreas:										
Carcinoma or Adenoma										
					0/50 (0%)					
Overall Incidence					Total	0/50 (0%)	Mean	0%	SD	0%
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
.....										
*Pituitary Gland: Pars Distalis or Unspecified Site:										
Adenoma										
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
					2/49 (4%)					
Overall Incidence					Total	2/49 (4.08%)	Mean	4.08%	SD	0%
.....										
*Pituitary Gland: Pars Distalis or Unspecified Site:										
Carcinoma										
					0/48 (0%)					
Overall Incidence					Total	0/48 (0%)	Mean	0%	SD	0%
					0/49 (0%)					
Overall Incidence					Total	0/49 (0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 77
 Report Date: 06/05/2013

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma or Adenoma									
		0/48	(0%)			2/49	(4%)		
Overall Incidence	Total	0/48	(0%)	Mean 0%	SD 0%	2/49	(4.08%)	Mean 4.08%	SD 0%
.....									
*Pituitary Gland: Pars Intermedia:									
 Adenoma									
		0/48	(0%)			0/49	(0%)		
Overall Incidence	Total	0/48	(0%)	Mean 0%	SD 0%	0/49	(0%)	Mean 0%	SD 0%
.....									
*Pituitary Gland: Pars Intermedia:									
 Carcinoma or Adenoma									
		0/48	(0%)			0/49	(0%)		
Overall Incidence	Total	0/48	(0%)	Mean 0%	SD 0%	0/49	(0%)	Mean 0%	SD 0%
.....									
*Salivary Glands:									
 Adenoma									
		0/50	(0%)			0/49	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/49	(0%)	Mean 0%	SD 0%
.....									
*Salivary Glands:									
 Carcinoma or Adenoma									
		0/50	(0%)			0/49	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/49	(0%)	Mean 0%	SD 0%
.....									
*Salivary Glands:									
 Hemangiosarcoma									
		0/50	(0%)			0/49	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	0/49	(0%)	Mean 0%	SD 0%
.....									
*: Denominator is number of animals with tissues examined microscopically									
#: Denominator is number of animals necropsied									

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 78
 Report Date: 06/05/2013

		Male			Female		
*Salivary Glands:							
Mast Cell Tumor Malignant							
		0/50 (0%)			0/49 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	Mean 0% SD 0%
.....							
*Salivary Glands:							
Myxoma							
		0/50 (0%)			0/49 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	Mean 0% SD 0%
.....							
#Seminal Vesicle:							
Adenoma							
		0/50 (0%)					
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%			
.....							
#Skeletal Muscle:							
Hemangiosarcoma							
		2/50 (4%)			0/50 (0%)		
Overall Incidence	Total	2/50 (4%)	Mean 4%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Skeletal Muscle:							
Rhabdomyosarcoma							
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#Skeletal Muscle:							
Rhabdomyosarcoma or Rhabdomyoma							
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 79
 Report Date: 06/05/2013

		Male			Female		
#Skeletal Muscle:							
Sarcoma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Skin:							
Basal Cell Carcinoma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Skin:							
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Skin:							
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Skin:							
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Skin:							
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma							
		0/50	(0%)			3/50	(6%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	3/50 (6%)

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 80
 Report Date: 06/05/2013

	Male				Female			
#Skin:								
Fibrosarcoma								
		0/50	(0%)			2/50	(4%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	2/50	(4%)
								Mean 4%
								SD 0%
.....								
#Skin:								
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma								
		0/50	(0%)			3/50	(6%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	3/50	(6%)
								Mean 6%
								SD 0%
.....								
#Skin:								
Fibrous Histiocytoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Granular Cell Tumor Benign								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Hemangioma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Hemangiosarcoma								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
								Mean 2%
								SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 81
 Report Date: 06/05/2013

		Male				Female			
#Skin:									
Keratoacanthoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Lipoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Liposarcoma									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Mast Cell Tumor Benign									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Mast Cell Tumor Malignant									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Melanoma Benign									
		0/50	(0%)			0/50	(0%)		
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 82
 Report Date: 06/05/2013

	Male				Female			
#Skin:								
Melanoma Malignant								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								
#Skin:								
Neural Crest Tumor								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								
#Skin:								
Neurofibroma or Schwannoma benign								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								
#Skin:								
Neurofibrosarcoma or Schwannoma (malignant or NOS)								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
.....								
#Skin:								
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
.....								
#Skin:								
Osteosarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
.....								

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 83
 Report Date: 06/05/2013

	Male				Female			
#Skin:								
Sarcoma								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
								Mean 2%
								SD 0%
.....								
#Skin:								
Schwannoma Benign								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Schwannoma Malignant								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
								Mean 2%
								SD 0%
.....								
#Skin:								
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Squamous Cell Papilloma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Squamous Cell Papilloma or Papilloma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 84
 Report Date: 06/05/2013

	Male				Female			
#Skin:								
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin:								
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin: Sebaceous Gland:								
Adenoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Skin: Sebaceous Gland:								
Carcinoma or Adenoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
#Spinal Cord:								
Hemangiosarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%
.....								
*Spleen:								
Hemangioma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
								Mean 0%
								SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 85
 Report Date: 06/05/2013

		Male			Female		
*Spleen:							
Hemangiosarcoma							
		1/50	(2%)		1/50	(2%)	
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	Total	1/50 (2%)
							Mean 2%
							SD 0%
.....							
*Spleen:							
Mast Cell Tumor Malignant							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Spleen:							
Plasma Cell Tumor Malignant							
		0/50	(0%)		1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50 (2%)
							Mean 2%
							SD 0%
.....							
#Stomach, Forestomach:							
Squamous Cell Carcinoma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Stomach, Forestomach:							
Squamous Cell Carcinoma or Papilloma Squamous							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
#Stomach, Forestomach:							
Squamous Cell Papilloma							
		0/50	(0%)		0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 86
 Report Date: 06/05/2013

		Male			Female		
#Stomach, Glandular:							
Adenoma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Stomach, Glandular:							
Carcinoma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
#Stomach, Glandular:							
Carcinoma or Adenoma							
		0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
.....							
*Testes:							
Adenoma							
		1/50	(2%)				
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%		
.....							
*Testes:							
Hemangioma							
		0/50	(0%)				
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%		
.....							
*Thymus:							
Neoplasm NOS							
		0/44	(0%)			0/46	(0%)
Overall Incidence	Total	0/44	(0%)	Mean 0%	SD 0%	Total	0/46 (0%)
.....							

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 87
 Report Date: 06/05/2013

		Male			Female		
*Thymus:							
Thymoma Benign							
		0/44	(0%)		0/46	(0%)	
Overall Incidence	Total	0/44	(0%)	Mean 0%	SD 0%	Total	0/46 (0%)
							Mean 0%
							SD 0%
.....							
*Thymus:							
Thymoma Malignant							
		0/44	(0%)		0/46	(0%)	
Overall Incidence	Total	0/44	(0%)	Mean 0%	SD 0%	Total	0/46 (0%)
							Mean 0%
							SD 0%
.....							
*Thymus:							
Thymoma: Benign, Malignant, NOS							
		0/44	(0%)		0/46	(0%)	
Overall Incidence	Total	0/44	(0%)	Mean 0%	SD 0%	Total	0/46 (0%)
							Mean 0%
							SD 0%
.....							
*Thyroid Gland: C-Cell:							
Carcinoma							
		0/49	(0%)		0/50	(0%)	
Overall Incidence	Total	0/49	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Thyroid Gland: C-Cell:							
Carcinoma or Adenoma							
		0/49	(0%)		0/50	(0%)	
Overall Incidence	Total	0/49	(0%)	Mean 0%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							
*Thyroid Gland: Follicular Cell:							
Adenoma							
		1/49	(2%)		0/50	(0%)	
Overall Incidence	Total	1/49	(2.04%)	Mean 2.04%	SD 0%	Total	0/50 (0%)
							Mean 0%
							SD 0%
.....							

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 88
 Report Date: 06/05/2013

		Male			Female		
*Thyroid Gland: Follicular Cell: Carcinoma							
		1/49 (2%)			0/50 (0%)		
Overall Incidence	Total	1/49 (2.04%)	Mean 2.04%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma							
		2/49 (4%)			0/50 (0%)		
Overall Incidence	Total	2/49 (4.08%)	Mean 4.08%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Tissue NOS: Fibrosarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Tissue NOS: Hemangiosarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%
.....							
#Tissue NOS: Plasma Cell Tumor Malignant							
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	Mean 2% SD 0%
.....							
#Tissue NOS: Sarcoma							
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 89
 Report Date: 06/05/2013

	Male				Female			
#Tongue:								
Fibroma								
		1/50	(2%)			0/50	(0%)	
Overall Incidence	Total	1/50	(2%)	Mean 2%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Tongue:								
Squamous Cell Carcinoma or Papilloma Squamous								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Tongue:								
Squamous Cell Papilloma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Tooth:								
Odontoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Urethra:								
Hemangiosarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
*Urinary Bladder:								
Hemangiosarcoma								
		0/50	(0%)			0/50	(0%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)
							Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 90
 Report Date: 06/05/2013

	Male				Female			
*Urinary Bladder:								
Plasma Cell Tumor Malignant								
		0/50	(0%)			1/50	(2%)	
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	1/50	(2%)
							Mean 2%	SD 0%
.....								
#Uterus:								
Adenoma								
						0/50	(0%)	
Overall Incidence						Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Uterus:								
Carcinoma								
						0/50	(0%)	
Overall Incidence						Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Uterus:								
Hemangiosarcoma								
						0/50	(0%)	
Overall Incidence						Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Uterus:								
Leiomyoma								
						0/50	(0%)	
Overall Incidence						Total	0/50	(0%)
							Mean 0%	SD 0%
.....								
#Uterus:								
Leiomyosarcoma								
						0/50	(0%)	
Overall Incidence						Total	0/50	(0%)
							Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 91
 Report Date: 06/05/2013

				Male					Female	
#Uterus:										
Polyp Stromal										
						1/50	(2%)			
Overall Incidence				Total	1/50	(2%)		Mean 2%	SD 0%	
.....										
#Uterus:										
Sarcoma										
						0/50	(0%)			
Overall Incidence				Total	0/50	(0%)		Mean 0%	SD 0%	
.....										
#Uterus:										
Sarcoma Stromal										
						0/50	(0%)			
Overall Incidence				Total	0/50	(0%)		Mean 0%	SD 0%	
.....										
#Uterus:										
Sarcoma Stromal or Polyp Stromal										
						1/50	(2%)			
Overall Incidence				Total	1/50	(2%)		Mean 2%	SD 0%	
.....										
#Vagina:										
Liposarcoma										
						0/50	(0%)			
Overall Incidence				Total	0/50	(0%)		Mean 0%	SD 0%	
.....										
#Zymbal's Gland:										
Carcinoma										
						0/50	(0%)			
Overall Incidence	Total	0/50	(0%)	Mean 0%	SD 0%	Total	0/50	(0%)	Mean 0%	SD 0%
.....										

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 92
Report Date: 06/05/2013

	Male				Female			
#Zymbal's Gland:								
Carcinoma or Adenoma		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied